

Exhaust Fume

Extraction for

Emergency Vehicles



VORSPRUNG DURCH INNOVATION

21-45-30

Schlingmann

FEUERWEHR

Freiwillige Feuerwehr
Bissendorf

Ortsfeuerwehr Jegen

Stationary System

Electromagnetic System

Pneumatic System

System Type Mini Set

for firefighting buildings without demand of travel along systems.

Compact Exhaust Fume Extraction System for one vehicle including:



Exhaust Fume Fan

Motor Protection Switch

Wall bracket


Exhaust Fume Hose with 5m Length

Hose holder bracket

Funnel on stand with adjust. height



Travel-along System Type Magnet



Travel-along exhaust extraction system with guide rail or aluminum slit channel for a driven distance of 4-12 m. All exhaust fumes are reliably extracted by a suitable exhaust nozzle directly at the exhaust pipe. A magnet device which is integrated in the hose package ensures the necessary attachment to the vehicle.

The exhaust extraction system remains docked on the vehicle until it leaves the hall gate. At the end of the track, the hose detach automatically from the vehicle. This action is initiated by a triggering device mounted at the end of the track.

The exhaust extraction fan starts and stops automatically by signal from door shutter or by general alarm signal.

Travel-along System

Type Pneumatic



VORSPRUNG DURCH INNOVATION


Travel-along exhaust extraction system with guide rail or aluminum slit channel for a driven distance of 4-12 m.

All exhaust fumes are reliably extracted by a suitable exhaust nozzle directly at the exhaust pipe. A magnet device which is integrated in the hose package ensures the necessary attachment to the vehicle.

The exhaust extraction system remains docked on the vehicle until it leaves the hall gate. At the end of the track, the hose detach automatically from the vehicle.

This action is initiated by a triggering valve mounted at the end of the track. A balancer mounted on the running gear ensures that the hose is pulled up to a safe height from the floor

The exhaust extraction fan starts and stops automatically by signal from door shutter or by general alarm signal.



Professional Extraction and filter systems for Automotive and Industry



Made in Germany

Got a project?
Contact us today!